

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.06.2018

Revision: 01.06.2018

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: Loogbeits D kleuren

• Article number: 02.LBDXXXX.XX

· Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Wood treatment

· Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Wasziederij "De Vesting B.V." Trasweg 12 NL-5712 BB Someren-Eind The Netherlands Tel: +31 493 496760 Fax: +31 493 493670

Email: info@vesting.nl Web: www.vesting.nl

· Further information obtainable from: Product safety department.

• Emergency telephone number: During normal opening times: +31 493 496 760

2 Hazards identification

· Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

GHS05 corrosion

Skin Corr. 1BH314Causes severe skin burns and eye damage.Eye Dam. 1H318Causes serious eye damage.

· Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

Hazard pictograms



· Signal word Danger

(Contd. on page 2)



Printing date 01.06.2018

Trade name: Loogbeits D kleuren

	(Contd. of page
Hazard-det	ermining components of labelling:
sodium hydr	
Hazard stat	
H314 Cause	s severe skin burns and eye damage.
Precautiona	ary statements
P260	Do not breathe mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361-	+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin water.
P305+P351-	+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/internation regulations.
Additional i	information:
Tactile warn	ing triangle.
VOC (EC) <	50 g/l (VOC-max. = 130 g/l (2010 A/e))
Contains tr	isodium bis[3-hydroxy-4-[(2-hydroxy-1-naphthyl)azo]-7-nitronaphthalene-1-sulfonato(3-
chromate(3-). May produce an allergic reaction.
Restricted to	professional users.
	the reach of children
Other haza	rds
Results of P	BT and vPvB assessment
PBT: Not ap	oplicable.
vPvB: Not a	ipplicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components.

Dangerous compone	ents.	
	sodium hydroxide	≤2.5%
EINECS: 215-185-5	Met. Corr.1, H290; Skin Corr. 1A, H314	
CAS: 57693-14-8	trisodium bis[3-hydroxy-4-[(2-hydroxy-1-naphthyl)azo]-7-nitronaphthalene-1-	≤2.5%
	sulfonato(3-)]chromate(3-)	
	Aquatic Chronic 2, H411; (1) Eye Irrit. 2, H319; Skin Sens. 1, H317	
· Additional informat	ion: For the wording of the listed bazard phrases refer to section 16	

Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

· Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Consult doctor in case of irritation.

• After eye contact: Rinse opened eye for several minutes under running water. Consult a doctor.

- · After swallowing:
- Rinse out mouth.

Do not induce vomiting; call for medical help immediately.

(Contd. on page 3)

GB

Printing date 01.06.2018

Trade name: Loogbeits D kleuren

(Contd. of page 2)

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

· Extinguishing media

- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: Do not inhale explosion gases or combustion gases.
- · Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

• **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of aerosols.
- · Information about fire and explosion protection: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Do not store together with acids.
- Further information about storage conditions: Keep container tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)

GB

Printing date 01.06.2018

Trade name: Loogbeits D kleuren

Additional information: The lists valid	(Contd. of page d during the making were used as basis
	a during the making were used as basis.
Exposure controls Personal protective equipment:	
General protective and hygienic meas	sures:
Keep away from foodstuffs, beverages a	
Immediately remove all soiled and conta	aminated clothing
Wash hands before breaks and at the en-	d of work.
Avoid contact with the eyes and skin.	• , , , 1 • 1 • 1 • 6 1
Protection of hands:	respiratory protective device when aerosol or mist is formed.
Trotection of nands.	
Protective gloves	
	ble and resistant to the product/ the substance/ the preparation.
•	on to the glove material can be given for the product/ the preparation
the chemical mixture.	
	deration of the penetration times, rates of diffusion and the degradati
Material of gloves	es not only depend on the material, but also on further marks of qual
	ufacturer. As the product is a preparation of several substances, t
	t be calculated in advance and has therefore to be checked prior to the
application.	
Penetration time of glove material	
The exact break through time has to be	e found out by the manufacturer of the protective gloves and has to
observed.	
Eye protection: Tightly sealed goggles	
Tightly sealed goggles Physical and chemical properti Information on basic physical and che General Information Appearance: Form: Colour: Odour:	emical properties Fluid Different according to colouring Characteristic
Tightly sealed goggles Physical and chemical properti Information on basic physical and che General Information Appearance: Form: Colour: Odour:	emical properties Fluid Different according to colouring
Tightly sealed goggles Physical and chemical properti Information on basic physical and che General Information Appearance: Form: Colour:	emical properties Fluid Different according to colouring Characteristic
Tightly sealed goggles Physical and chemical properti Information on basic physical and che General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition	emical properties Fluid Different according to colouring Characteristic Not determined. Not determined.
Tightly sealed goggles Physical and chemical properti Information on basic physical and che General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point:	emical properties Fluid Different according to colouring Characteristic Not determined. Not determined. Undetermined.
Tightly sealed goggles Physical and chemical properti Information on basic physical and che General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition	emical properties Fluid Different according to colouring Characteristic Not determined. Not determined. Undetermined.
Tightly sealed goggles Physical and chemical properti Information on basic physical and che General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point:	emical properties Fluid Different according to colouring Characteristic Not determined. Not determined. Undetermined.
Tightly sealed goggles Tightly sealed goggles Physical and chemical properti Information on basic physical and che General Information Appearance: Form: Colour: Odour: Odour: Odour: Odour: PH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling ran	emical properties Fluid Different according to colouring Characteristic Not determined. Not determined. Undetermined. ge: 100 °C
Tightly sealed goggles Physical and chemical properti Information on basic physical and che General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling ran Flash point:	emical properties Fluid Different according to colouring Characteristic Not determined. Not determined. ge: 100 °C Not applicable.
Tightly sealed goggles Physical and chemical properti Information on basic physical and che General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling ran Flash point: Flammability (solid, gas):	emical properties Fluid Different according to colouring Characteristic Not determined. Not determined. Undetermined. ge: 100 °C Not applicable. Not applicable.

Printing date 01.06.2018

Trade name: Loogbeits D kleuren

	(Contd. of p	page
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure at 20 °C:	23 hPa	
· Density at 20 °C:	1.048 g/cm ³	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
VOC (EC)	0.30 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

1310-73-2 sodium hydroxide

Oral LD50 2,000 mg/kg (rat)

Dermal LD50 1,350 mg/kg (rabbit)

- Primary irritant effect:
- Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

· Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

· STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB

Printing date 01.06.2018

Revision: 01.06.2018

(Contd. of page 5)

Trade name: Loogbeits D kleuren

· Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological information

· Toxicity

· Aquatic toxicity:

1310-73-2 sodium hydroxide

EC50 >100 mg/l (daphnia)

EC50/48 h 33-100 mg/l (daphnia)

LC50/48 h 189 mg/l (fish (leuciscus idus))

LC50/96 h 45.4 mg/l (fish (oncorhynchus mykiss))

Persistence and degradability No further relevant information available.

- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

· UN-Number · ADR, IMDG, IATA	UN1760
· UN proper shipping name · ADR · IMDG, IATA	1760 CORROSIVE LIQUID, N.O.S. (SODIU HYDROXIDE) CORROSIVE LIQUID, N.O.S. (SODIU HYDROXIDE)
· Transport hazard class(es)	
· ADR, IMDG, IATA	
ST 22	
· Class	8 Corrosive substances.

Printing date 01.06.2018

Revision: 01.06.2018

Trade name: Loogbeits D kleuren

	(Contd. of pag
Label	8
Packing group	
ADR, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances.
Danger code (Kemler):	80
EMS Number:	F-A,S-B
Segregation groups	Alkalis
Stowage Category	В
Stowage Code	SW2 Clear of living quarters.
Transport/Additional information:	
A	
ADR Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per unier packaging: 50 ml
Transport category	2
Tunnel restriction code	Ε
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (SODIU
UN Wodel Regulation :	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information provided in these documents are based on our current knowledge of this product and be in good faith and to the best of our knowledge. However, this information shall explicitly not as technical specification and do not constitute a guarantee of the properties. We do not accept any liability for damage or consequences of any kind or size, either express or implied, arising from the use of this data could result. Existing laws, rules and regulations by the receiver and user of the product be met on their own responsibility. They should also ensure that the product for the intended application and use.

· Relevant phrases

- H290 May be corrosive to metals.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.

(Contd. on page 8)

- GB

Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.06.2018

Trade name: Loogbeits D kleuren

	(Contd. of pag
H4	411 Toxic to aquatic life with long lasting effects.
De	epartment issuing SDS: Product safety department.
· Co	ontact: Laboratory
· Ał	bbreviations and acronyms:
	DR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation
	rriage of Dangerous Goods by Road)
	IDG: International Maritime Code for Dangerous Goods
	TA: International Air Transport Association
	IS: Globally Harmonised System of Classification and Labelling of Chemicals
Еľ	NECS: European Inventory of Existing Commercial Chemical Substances
	INCS: European List of Notified Chemical Substances
CA	AS: Chemical Abstracts Service (division of the American Chemical Society)
VC	DC: Volatile Organic Compounds (USA, EU)
LC	250: Lethal concentration, 50 percent
LD	D50: Lethal dose, 50 percent
	3T: Persistent, Bioaccumulative and Toxic
vP	vB: very Persistent and very Bioaccumulative
	et. Corr.1: Corrosive to metals – Category 1
	in Corr. 1A: Skin corrosion/irritation – Category 1A
	in Corr. 1B: Skin corrosion/irritation – Category 1B
	e Dam. 1: Serious eye damage/eye irritation – Category 1
	e Irrit. 2: Serious eye damage/eye irritation – Category 2
	in Sens. 1: Skin sensitisation – Category 1
Aq	uatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2